Form 5

HKCEE 1991 Mathematics II

91
$$(a^{2a})(3a^{4a})$$

1.

A.
$$3a^{6a}$$

B.
$$(3a)^{6a}$$

C.
$$3a^{8a}$$

D.
$$4a^{6a}$$

B.
$$(3a)^{6a}$$

C. $3a^{8a}$
D. $4a^{6a}$
E. $(3^{4a})(a^{6a})$

$$\frac{91}{2} \quad \frac{1}{1-x^2} - \frac{1}{(1+x)^2} =$$

A.
$$\frac{2}{(1-x^2)(1+x^2)}$$

B.
$$\frac{2x^2}{(1-x^2)(1+x^2)}$$

C.
$$\frac{2x^2}{(1-x^2)(1+x)^2}$$

D.
$$\frac{2}{(1-x)(1+x)^2}$$

E.
$$\frac{2x}{(1-x)(1+x)^2}$$

91 Which one of the following is a factor

3. of
$$x^3 - 4x^2 + x + 6$$
?

A.
$$(x+1)(x-2)$$

B.
$$(x+1)(x+2)$$

C.
$$(x-1)(x+2)$$

D.
$$(x-1)(x-3)$$

E.
$$(x-1)(x+3)$$

91
4. If
$$y = \sqrt{\frac{1 + mx}{1 - mx}}$$
, then $x = \frac{1}{1 + mx}$

A.
$$\frac{m(y-1)}{y+1}$$

$$B. \qquad \frac{y-1}{m(y+1)} \ .$$

C.
$$\frac{(1-y^2)}{m(1+y^2)}$$
.

D.
$$\frac{m(y^2-1)}{(y^2+1)}$$
.

E.
$$\frac{(y^2-1)}{m(y^2+1)}$$
.

$$\frac{91}{5.} \qquad \frac{\frac{1}{x^2} + \frac{1}{y^2}}{\frac{1}{x} + \frac{1}{y}} =$$

$$A. \qquad \frac{1}{x^2} + \frac{1}{y^2}$$

B.
$$\frac{1}{x^2} + \frac{1}{xy} + \frac{1}{y^2}$$

C.
$$\frac{1}{x^2} + \frac{2}{xy} + \frac{1}{y^2}$$

D.
$$\frac{1}{x^2} - \frac{2}{xy} + \frac{1}{y^2}$$

E.
$$\frac{1}{x^2} - \frac{1}{xy} + \frac{1}{y^2}$$

The L.C.M. of x, $2x^2$, $3x^3$, $4x^4$, $5x^5$ is 91

6.

A.
$$x$$
. B. $5x^5$

C.
$$60x^5$$


D.
$$120x^5$$

E.


In which of the following cases the 91

7. equation f(x) = 0 cannot be solved by the method of bisection?


A.




B.




C.



D.



E.



91 Solve the following equations:

8.
$$x-1=y+2=x+y-5$$

A.
$$x = 1, y = -2$$

B.
$$x = 1, y = 4$$

C.
$$x = 4, y = 1$$

D.
$$x = 7, y = -2$$

E.
$$x = 7, y = 4$$

91 Let y vary partly as $\frac{1}{x}$ and partly as x.

When x = 1, y = 5 and when x = 4,

$$y = \frac{25}{2}$$
. Find y when $x = 2$.

A.
$$\frac{5}{2}$$

C.
$$\frac{25}{4}$$


A.
$$\frac{5}{2}$$
B. 4
C. $\frac{25}{4}$
D. 7
E. $\frac{17}{2}$

91
10. If
$$\frac{1}{a} : \frac{1}{b} = 2 : 3$$
 and $a : c = 4 : 1$, then $a : b : c =$

91 A blanket loses 10% of its length and

8% of its width after washing. percentage loss in area is

91 12.



In the figure, ABCD is a square of side a and MNPQ is a square of side b. The four trapeziums are identical. The area of the shaded region is

A.
$$\frac{3b^2 + a^2}{4} \ .$$


B.
$$\frac{3b^2 - a^2}{2}$$

C.
$$\frac{5b^2 + a^2}{4}$$

D.
$$\frac{5b^2 - a^2}{4}$$

E.
$$\frac{(a-b)^2}{4}+b^2.$$

91 13.



In the figure, TB touches the semi-circle at B. TA cuts the semi-circle at P such that TP = PA. If the radius of the semi-circle is 2, find the area of the shaded region.

A.
$$12 - \pi$$


B.
$$8-\pi$$

C.
$$6 - \pi$$

D.
$$4 - \pi$$

E.
$$2(4-\pi)$$

91 14.



An equilateral triangle and a square have equal perimeters.

Area of the triangle _

Area of the square

A.
$$\frac{9\sqrt{3}}{16}$$

B.
$$\frac{\sqrt{3}}{4}$$

C.
$$\frac{\sqrt{3}}{3}$$

D.
$$\frac{4\sqrt{3}}{9}$$

91 A man borrows \$10 000 from a bank at

15. 12% per annum compounded monthly. He repays the bank \$2000 at the end of each month. How much does he still owe the bank just after the second repayment?

91 16.
$$\left[\frac{1}{\cos\theta} + \tan\theta\right] (1 - \sin\theta) =$$

A.
$$\sin \theta$$

B.
$$\cos \theta$$

C.
$$\cos^2 \theta$$

D.
$$1 + \sin \theta$$

E.
$$\sin \theta \tan \theta$$

$$\frac{91}{17} \quad \frac{\sin(\theta - 90^{\circ})}{\tan(\theta + 180^{\circ})} =$$

A. $\cos \theta$

B. $-\cos \theta$

C. $\frac{\cos^2 \theta}{\sin \theta}$

D. $-\frac{\cos^2\theta}{\sin\theta}$

E. $\frac{1}{\sin \theta}$

91 For $0 \le \theta < 2\pi$, how many roots does

18. the equation $\tan \theta + 2 \sin \theta = 0$ have?

A. 1


B. 2

C. 3

D. 4

E. 5

91 19.



In the figure, XPY and YQZ are semicircles with areas A_1 and A_2 respectively. $\angle YXZ = 60^{\circ}$ and $\angle YZX = 45^{\circ}$. The ratio $A_1: A_2 =$

A. $\sqrt{2}:\sqrt{3}$.


B. $\sqrt{2}:3$.

C. 2:3.

D. $2:\sqrt{3}$.

E. $\sqrt{3}:\sqrt{2}$.

91 20.



In the figure, $\angle A = 30^{\circ}$ and $\angle B = 120^{\circ}$. The ratio of the altitudes of the triangle ABC from A and from B is

 $A. \quad 2:1 \ .$


B. $\sqrt{3}:1$.

C. $\sqrt{2}:1$.

D. $1:\sqrt{2}$

E. $1:\sqrt{3}$

91 21.



In the figure, O is the centre of the circle. Find a + c.

A. *b*


B. 2*b*

C. $180^{\circ} - b$

D. $360^{\circ} - b$

E. $360^{\circ} - 2b$

91 22.



In the figure, O is the centre of the circle BCD. ABC and EDC are straight lines. BC = DC and $\angle AED = 70^{\circ}$. Find $\angle BOD$.

A. 40°


B. 70°

C. 80°

D. 90°

E. 140°

91 23.



In the figure, ABCDE and ABXYZ are two identical regular pentagons. Find $\angle AEZ$.

A. 15°


B. 18°

C. 24°

D. 30°

E. 36°

91 24.



In the figure, TPA and TQB are tangents to the circle at P and Q respectively. If PQ = PR, which of the following **must** be true?

I. $\angle APR = \angle QRP$

II. $\angle QTP = \angle QPR$

III. $\angle QPR = \angle APR$

A. I only


B. II only

C. III only

D. I and II only

E. I and III only

91 25.



In the figure, E and F are the midpoints of AB and AC respectively. G and H divide DB and DC respectively in the ratio 1 : 3. If EF = 12, find GH.

A. 3

B. 4

C. 6

D. 8

E. 12

91 The circle $x^2 + y^2 + 4x + ky + 4 = 0$

26. passes through the point (1, 3). The radius of the circle is

A. $\sqrt{68}$.

B. $\sqrt{48}$.

C. $\sqrt{17}$.

D. 6.


E. 3.

91 Let A and B be the points (4, -7) and

27. (-6, 5) respectively. The equation of the line passing through the mid-point of AB and perpendicular to

$$3x - 4y + 14 = 0$$
 is

- A. 3x - 4y - 1 = 0.
- 3x + 4y + 7 = 0. B.
- C. 4x 3y + 1 = 0.
- 4x + 3y 7 = 0.
- E. 4x + 3y + 7 = 0.
- *PQRS* is a parallelogram with vertices *P* 91
- 28. = (0, 0), Q = (a, b) and S = (-b, a).Find *R*.
 - A. (-a, -b)
 - В. (a, -b)
 - C. (a-b, a-b)
 - D. (a - b, a + b)
 - (a + b, a + b)
- 91 29.



In the figure, A and B are the positions of two boats. The bearing of B from A is

- A. N55°E.
- N70°E. В
- C. $N20^{\circ}E$.
- D. $S35^{\circ}E$.
- E. S75°E.
- 91 The mean and standard deviation of a
- 30. distribution of test scores are m and s respectively. If 4 marks are added to each score of the distribution, what are the mean and standard deviation of the new distribution?

	Mean	Standard
		Deviation
A.	m + 4	S
B.	m + 4	s + 2
C	m + 1	c + 1

D. s + 2m E. s + 4m

91

31.

The graph shows the frequency curves of two symmetric distributions P and Q. Which of the following is /are true?

- I. The mean of P < the mean of Q.
- II. The mode of P > the mode of Q.
- III. The inter-quartile range of P < the inter-quartile range of Q.
- A. I only
- В. I and II only
- C. I and III only
- II and III only D.
- E. I, II and III
- 91 A fair die is thrown 3 times. The
- 32. probability that "6" occurs exactly once

 - D.
 - E.
- If $(\sqrt{3} + 1)\sqrt{x} = 2$, then x =33.
 - A. $2 \sqrt{3}$

B.
$$\sqrt{3} - 1$$
.

D.
$$2(2-\sqrt{3})$$
.

E.
$$4 - \sqrt{3}$$
.

91 If
$$\log x : \log y = m : n$$
, then $x =$

34.

A.
$$\frac{my}{n}$$
.

B.
$$(m-n)y$$
.

C.
$$m-n+y$$
.

D.
$$\frac{m}{v^n}$$

E.
$$\frac{m \log y}{n}$$
.

$$\frac{91}{35}. \quad \text{If } f(x) = x - \frac{1}{x}, \text{ then } f(x) - f\left(\frac{1}{x}\right) =$$

B.
$$2x$$
.

C.
$$-\frac{2}{x}$$

D.
$$2\left(x-\frac{1}{x}\right)$$

E.
$$2\left(\frac{1}{x}-x\right)$$
.

91 If
$$p(x^2 - x) + q(x^2 + x) = 4x^2 + 8x$$
, find

36. p and q.

A.
$$p = 4, q = 8$$

B.
$$p = -8, q = 4$$

C.
$$p = -2, q = 6$$

D.
$$p = 2, q = 6$$

E.
$$p = 6, q = -2$$

91 If
$$x < 0 < y$$
, then which one of the

37. following **must** be positive?

A.
$$x + y$$

B.
$$x-y$$


C.
$$y-x$$

E.
$$\frac{y}{x}$$


91 Which one of the following shaded

$$\begin{cases} 2 \le x + y \le 6 \\ 0 \le x \le 4 \end{cases}$$
?
$$0 \le y \le 4$$







B.




C.



D.



E.



91 If
$$(x-2)(x-3) = (a-2)(a-3)$$
, solve

39. for *x*.

A.
$$x = 0 \text{ or } 5$$

B.
$$x = 2 \text{ or } 3$$

C.
$$x = a \text{ or } 2$$

D.
$$x = a$$
 or 3

E.
$$x = a \text{ or } 5 - a$$

- 91 If the sum to n terms of an A.P. is
- 40. $n^2 + 3n$, find the 7th term of the A.P.

E. It cannot be found.

- 91 If x, y, z are in G.P, which of the
- 41. following **must** be true?

I.
$$x + 3, y + 3, z + 3$$
 are in G.P.


II.
$$3x$$
, $3y$, $3z$ are in G.P.

III.
$$x^2, y^2, z^2$$
 are in G.P.

- D. I and II only
- E. II and III only
- 91 3 kg of a solution contains 40% of
- 42. alcohol by weight. How much alcohol should be added to obtain a solution containing 50% of alcohol by weight?

- 91 P sold an article to Q at a profit of
- 43. 25%. Q sold it to R also at a profit of 25%. If Q gained \$500, how much did P gain?

91 44.




From a rectangular metal sheet of width 3 cm and length 40 cm, at most how many circles each of radius 1 cm can be cut?

<u>DIRECTIONS</u>: Question 45 and 46 refer to the figure below, which shows a cuboid ABCDEFGH with AE = 2a, EF = 2b and FG = 2c. AC and BD intersect at X.

91

45.



XE =

A.
$$\sqrt{a^2 + b^2 + c^2}$$

B.
$$\sqrt{a^2 + b^2 + (2c)^2}$$

C.
$$\sqrt{a^2 + (2b)^2 + c^2}$$

D.
$$\sqrt{(2a)^2 + b^2 + c^2}$$

E.
$$2\sqrt{a^2+b^2+c^2}$$

91 If the angle between XE and the plane

46. EFGH is θ , then tan θ =

A.
$$\frac{a}{b}$$

B.
$$\frac{2a}{1}$$

C.
$$\frac{\sqrt{(2a)^2 + c^2}}{b}$$


D.
$$\frac{a}{\sqrt{b^2 + c^2}}$$

$$E. \qquad \frac{2a}{\sqrt{b^2 + c^2}} \ .$$

91
47. $\cos \frac{\pi}{2} + \cos \pi + \cos \frac{3\pi}{2} + \cos 2\pi + \dots + \cos 10\pi =$

91

48.



The figure shows the graph of the function

A.
$$y = 2 \cos x$$
.

B.
$$y = 2 - \sin x$$
.


C.
$$y = 2 + \sin x$$
.

$$D. \quad y = 2 - \cos x .$$

$$E. \quad y = 2 + \cos x \ .$$

91

49.




In the figure, the height of the vertical pole *PO* is

C.
$$15\sqrt{2} \text{ m}$$
.

D.
$$15\sqrt{3} \text{ m}$$
.


91 50.



In the figure, find the length of AB, correct to the nearest cm.

- A. 14 cm
- B. 15 cm
- C. 16 cm
- D. 17 cm
- E. 18 cm


91 51.



In the figure, ABC and CDE are equilateral triangles. Find $\angle ADE$.

- 15° A.
- 35° B.
- C. 40°
- 45° D.
- 50° E.


91 52.



In the figure, arc AB: arc BC: arc CD: arc DE: arc EA = 1:2:3:4:5. Find θ .

- 30° A.
- 36° B.
- C. $60^{\rm o}$
- 72° D.
- E. 120°

91 53.





In the figure, M is the mid-point of BCand AD = 2DB. AM and CD intersect at K. Find $\frac{\text{area of } \Delta ADK}{\Delta DK}$ area of ΔAKC

- A. $\frac{1}{2}$ $\frac{2}{3}$ $\frac{3}{4}$ $\frac{4}{5}$
- В.
- C.
- D.
- E.


In the figure, which of the pairs of 91 54. triangles must be congruent?

I.





II.



- A.
- B.
- C.
- I only
 II only
 I and III only
 II and III only
 I, II and III D.
- E.