2007-CE MATHPAPER 2

HONG KONG EXAMINATIONS AND ASSESSMENT AUTHORITY
HONG KONG CERTIFICATE OF EDUCATION EXAMINATION 2007

MATHEMATICS PAPER 2

11.15 am - 12.45 pm (1½ hours)

Subject Code 180

- 1. Read carefully the instructions on the Answer Sheet. Stick a barcode label and insert the information required in the spaces provided.
- 2. When told to open this book, you should check that all the questions are there. Look for the words 'END OF PAPER' after the last question.
- 3. All questions carry equal marks.
- 4. ANSWER ALL QUESTIONS. You should mark all your answers on the Answer Sheet.
- 5. You should mark only **ONE** answer for each question. If you mark more than one answer, you will receive **NO MARKS** for that question.
- 6. No marks will be deducted for wrong answers.

©香港考試及評核局 保留版權 Hong Kong Examinations and Assessment Authority All Rights Reserved 2007 Not to be taken away before the end of the examination session

FORMULAS FOR REFERENCE

SPHERE Surface area $= 4\pi r^2$ Volume $= \frac{4}{3}\pi r^3$ CYLINDER Area of curved surface $= 2\pi rh$ Volume $= \pi r^2 h$ CONE Area of curved surface $= \pi rl$ Volume $= \frac{1}{3}\pi r^2 h$

Volume

PRISM

 $= \frac{1}{3} \times \text{base area} \times \text{height}$

= base area × height

There are 36 questions in Section A and 18 questions in Section B. The diagrams in this paper are not necessarily drawn to scale. Choose the best answer for each question.

Section A

- 1. If *n* is a positive integer, then $3^{2n} \cdot 4^n =$
 - A. 6^{2n} .
 - B. 6^{3n} .
 - C. 12^{2n} .
 - D. 12^{3n} .
- $2. \qquad \frac{1}{n+3} \frac{1}{3-n} =$
 - $A. \qquad \frac{6}{9-n^2} \ .$
 - $B. \qquad \frac{6}{n^2 9} \ .$
 - C. $\frac{2n}{2n^2}$
 - $D. \qquad \frac{2n}{n^2 9} \ .$
- $3. \qquad (x+x)(y+y+y) =$
 - A. 6xy.
 - B. 2x+3y.
 - C. x^2y^3 .
 - D. $6x^2y^3$.

4. Let x be the smaller one of two consecutive integers. If the sum of the squares of the two integers is less than three times the product of the two integers by 1, then

A.
$$x^2 + (x+1)^2 = 3x(x+1)-1$$
.

B.
$$x^2 + (x+1)^2 = 3x(x+1) + 1$$
.

C.
$$3(x^2 + (x+1)^2) = x(x+1) - 1$$
.

D.
$$3(x^2 + (x+1)^2) = x(x+1)+1$$
.

- 5. Which of the following statements about the graph of $y = (x+1)^2 4$ is true?
 - A. The coordinates of the vertex of the graph are (-1,4).
 - B. The equation of the axis of symmetry of the graph is x = 1.
 - C. The x-intercepts of the graph are -1 and 3.
 - D. The y-intercept of the graph is -3.
- 6. The solution of $15 \ge 4(x+2)-1$ is

A.
$$x \le -2$$
.


B.
$$x \le 2$$
.

C.
$$x \ge -2$$
.

D.
$$x \ge 2$$
.

7. The price of 6 oranges and 3 apples is \$42 while the price of 8 oranges and 5 apples is \$60. Find the price of an apple.

- 8. Let $f(x) = x^2 ax + 2a$, where a is a constant. If f(-3) = 29, then a =
 - A. -38.
 - В. –20.
 - C. -4.
 - D. 4.
- 9. In the figure, the 1st pattern consists of 4 dots. For any positive integer n, the (n+1) th pattern is formed by adding 4 dots to the nth pattern. Find the number of dots in the 9th pattern.



- A. 36
- B. 40
- C. 81
- D. 100
- 10. If the bus fare is increased from \$4 to \$5, then the percentage increase of the fare is
 - A. 20%.
 - B. 25%.
 - C. 80%.
 - D. 125%.
- 11. A sum of \$30 000 is deposited at an interest rate of 12% per annum for 4 years, compounded monthly. Find the amount correct to the nearest dollar.
 - A. \$44 400
 - B. \$47 206
 - C. \$48141
 - D. \$48367

- 12. Express $\sqrt{2007}$ as a decimal correct to 5 significant figures.
 - A. 44.790
 - B. 44.799
 - C. 44.79955
 - D. 44.800
- 13. Let a and b be non-zero numbers. If 7a+5b=3a+8b, then a:b=
 - A. 3:4.
 - B. 4:3.
 - C. 10:13.
 - D. 13:10.
- 14. It is given that y is partly constant and partly varies directly as x. When x=2, y=17 and when x=4, y=11. Find the value of x when y=5.
 - A. -3
 - B. 6
 - C. 8
 - D. 112
- 15. A and B are two points on a map. If the bearing of A from B is 110° , then the bearing of B from A is
 - A. 070°.
 - B. 250°.
 - C. 290°.
 - D. 340°.


16. In the figure, OAB is a sector with centre O. If the perimeter of the sector OAB is $12 \, \text{cm}$, find OA correct to the nearest $0.01 \, \text{cm}$.





C. 4.31 cm

D. 7.64 cm




17. In the figure, the volume of the right prism is

A. $456 \, \text{cm}^3$.

B. 540 cm^3 .

C. $552 \,\mathrm{cm}^3$.

D. 636 cm^3 .



18. If a solid metal hemisphere of radius r is melted and recast into 3 identical solid right circular cones of height h and base radius r, then r:h=

A. 2:3.

B. 3:2.

C. 3:4.

D. 4:3.


19. In the figure, ABCD is a parallelogram. E is a point lying on AB. If EC and BD intersect at F, then the ratio of the area of ΔDEF to the area of ΔCBF is

A. 1:1.

B. 1:2.

C. 2:1.

D. 2:3.



20. If x and y are acute angles such that $x + y = 90^{\circ}$, which of the following must be true?

I.
$$\sin x = \cos y$$

II.
$$\sin(90^{\circ} - x) = \cos(90^{\circ} - y)$$

III.
$$\tan x \tan y = 1$$

- A. I and II only
- B. I and III only
- C. II and III only
- D. I, II and III
- $21. \qquad \frac{\cos A}{\sin A} + \frac{\sin A}{\cos A} =$
 - A. 1.
 - B. $1 + \tan^2 A$.
 - C. $\sin A \cos A$.
 - D. $\frac{1}{\sin A \cos A}$
- 22. Solve the equation $\sin \theta = \sqrt{3} \cos \theta$, where $0^{\circ} \le \theta \le 90^{\circ}$.

A.
$$\theta = 0^{\circ}$$

B.
$$\theta = 30^{\circ}$$

C.
$$\theta = 45^{\circ}$$

D.
$$\theta = 60^{\circ}$$


23. In the figure, ABC is a right-angled triangle. BD is the angle bisector of $\angle ABC$. If AB=c, then CD=

A.
$$\frac{c}{\sqrt{3}}$$

B.
$$\frac{c}{2\sqrt{3}}$$

$$C. \qquad \frac{\sqrt{3} c}{2} \ .$$

D.
$$\frac{\sqrt{3}c}{4}$$




24. In the figure, ABCDE is a right pyramid with the square base BCDE. F is a point lying on AC such that BF and DF are perpendicular to AC. The angle between the plane ABC and the plane ACD is





C. $\angle BCD$.

D. $\angle BFD$.



25. Which of the following plane figures have rotational symmetry?

I.



II.




III.



- A. I and II only
- B. I and III only
- C. II and III only
- D. I, II and III
- 26. In the figure, the square ABCD is divided into nine identical squares and four of them are shaded. The number of axes of reflectional symmetry of the square ABCD is






- 27. If the sum of the interior angles of a convex n-sided polygon is 4 times the sum of the exterior angles of the polygon, then n =
 - A. 4.
 - B. 6.
 - C. 8.
 - D. 10.
- 28. In the figure, AY and CY are the angle bisectors of $\angle BAX$ and $\angle DCX$ respectively. If $\angle AXC = 100^{\circ}$, then $\angle AYC =$



- B. 50°.
- C. 60°.
- D. 80°.



- 29. If the point (3,-2) is rotated clockwise about the origin through 90° , then the coordinates of its image are
 - A. (2,3).
 - B. (3,2).
 - C. (-2, -3).
 - D. (-3,-2).
- 30. If the rectangular coordinates of the point A are (-1,1), then the polar coordinates of A are
 - A. $(1,135^{\circ})$.
 - B. (1, 225°).
 - C. $(\sqrt{2}, 135^{\circ})$.
 - D. $(\sqrt{2}, 225^{\circ})$.

31. Find the equation of the straight line which is perpendicular to the straight line x+2y+3=0 and passes through the point (1,3).

A.
$$x + 2y - 7 = 0$$

B.
$$x-2y+5=0$$

C.
$$2x + y - 5 = 0$$


D.
$$2x - y + 1 = 0$$


32. The figure shows the graph of the straight line ax + by + 1 = 0. Which of the following is true?

A.
$$a > 0$$
 and $b > 0$

B.
$$a > 0$$
 and $b < 0$

C.
$$a < 0$$
 and $b > 0$





33. Two numbers are randomly drawn at the same time from five cards numbered 1, 2, 3, 4 and 5 respectively. Find the probability that the sum of the numbers drawn is a multiple of 3.

A.
$$\frac{2}{5}$$


B.
$$\frac{3}{10}$$

C.
$$\frac{9}{20}$$

D.
$$\frac{9}{25}$$

34. If the mode of the seven numbers 8, 7, 1, 3, 7, a and b is 8, then the median of the seven numbers is

35.



In the figure, B_X and B_Y are the box-and-whisker diagrams for the distributions X and Y respectively. Let μ_1 , q_1 and r_1 be the mean, the interquartile range and the range of X respectively while μ_2 , q_2 and r_2 be the mean, the interquartile range and the range of Y respectively. Which of the following must be true?


- I. $\mu_1 < \mu_2$
- II. $q_1 < q_2$
- III. $r_1 < r_2$
 - A. I only
 - B. II only
 - C. I and III only
 - D. II and III only

36. The stem-and-leaf diagram below shows the distribution of the weights (in kg) of some students.


| Stem (tens) | Leaf (units) | | | | | | | |
|-------------|--------------|---|---|---|---|---|---|---|
| 3 | 6 | | | | | | | |
| 4 | 2 | 4 | 5 | 7 | 8 | 9 | | |
| 5 | - 2 | 3 | 4 | 5 | 5 | 6 | 7 | 8 |
| 6 | 1 | 2 | 3 | 6 | 7 | | | |
| 7 | 0 | 5 | 8 | | | | | |
| 8 | 4 | 7 | | | | | | |
| 9 | 3 | | | | | | | |

Which of the following frequency curves may represent the distribution of their weights?


A.




B.



C.



D.




Section B


- 37. If a > 0, then $\frac{3\sqrt{a}}{2} \frac{a}{\sqrt{4a}} =$
 - A. 1.
 - B. $\frac{\sqrt{a}}{2}$.
 - C. \sqrt{a} .
 - D. $2\sqrt{a}$.

38. Which of the following may represent the graph of y = f(x) and the graph of y = f(x+1) on the same rectangular coordinate system?


Α




В.



C



D.




- 39. Which of the following is the greatest?
 - A. 500³⁰⁰⁰
 - B. 2000²⁵⁰⁰
 - C. 2500²⁰⁰⁰
 - D. 3000⁵⁰⁰
- 40. Let f(x) be a polynomial. If f(x) is divisible by x-1, which of the following must be a factor of f(2x+1)?
 - A. *x*
 - B. x-3
 - C. 2x-1
 - D. 2x + 1
- 41. ABCDE70000₁₆ =
 - A. $10(16^9)+11(16^8)+12(16^7)+13(16^6)+14(16^5)+7(16^4)$.
 - B. $10(16^{10}) + 11(16^9) + 12(16^8) + 13(16^7) + 14(16^6) + 7(16^5)$.
 - C. $11(16^9)+12(16^8)+13(16^7)+14(16^6)+15(16^5)+7(16^4)$.
 - D. $11(16^{10}) + 12(16^9) + 13(16^8) + 14(16^7) + 15(16^6) + 7(16^5)$.
- 42. If $p = q^2 12q + 6 = 2q 7$, then p =
 - A. 1 or 13.
 - B. -1 or -13.
 - C. -5 or 19.
 - D. -9 or -33.

43. Which of the regions in the figure may represent the solution of



- A. Region I
- B. Region II
- C. Region III
- D. Region IV




44. Let a_n be the *n*th term of an arithmetic sequence. If $a_1 = a_2 - 6$ and $a_1 + a_2 + \cdots + a_{28} = 1624$, then $a_1 =$

- A. -52.
- В. –26.
- C. -23.
- D. 139.

45. The sum of all the positive terms in the geometric sequence $4, -2, 1, \dots$ is

- A. 8.
- B. $\frac{8}{3}$
- C. $\frac{16}{3}$
- D. $\frac{16}{5}$


46. Let k be a constant and $-90^{\circ} < \theta < 90^{\circ}$. If the figure shows the graph of $y = k \sin(x^{\circ} + \theta)$, then




B.
$$k = -2$$
 and $\theta = 30^{\circ}$.

C.
$$k=2$$
 and $\theta=-30^{\circ}$.


D.
$$k = 2$$
 and $\theta = 30^{\circ}$.




47. In the figure, find x correct to the nearest integer.



48. In the figure, A, B, C and D are points lying on the circle. If AB = 5, AD = 3 and BD = 7, then $\angle BCD =$



- 49. In the figure, A, B and C are points lying on the circle. AB is a diameter of the circle. DB is the tangent to the circle at B. If ACD is a straight line with AC = 4 and CD = 2, then AB = 1
 - A. $2\sqrt{6}$.
 - B. $4\sqrt{3}$.
 - C. $4\sqrt{6}$.
 - D. $8\sqrt{3}$.



- 50. If $\triangle ABC$ is an obtuse-angled triangle, which of the following points must lie outside $\triangle ABC$?
 - I. The centroid of $\triangle ABC$
 - II. The circumcentre of $\triangle ABC$
 - III. The orthocentre of $\triangle ABC$
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III

- 51. A circle C touches the y-axis. If the coordinates of the centre of C are (-3, 4), then the equation of C is
 - A. $(x-3)^2 + (y+4)^2 = 9$.
 - B. $(x-3)^2 + (y+4)^2 = 16$.
 - C. $(x+3)^2 + (y-4)^2 = 9$.
 - D. $(x+3)^2 + (y-4)^2 = 16$.

- 52. Let a be a constant. If the circle $x^2 + y^2 + ax 6y 3 = 0$ passes through the point (-2, 3), then the area of the circle is
 - A. 8π .
 - B. 10π .
 - C. 16π .
 - D. 55π .
- 53. A bag contains 8 black balls and 5 white balls. If two balls are drawn randomly from the bag one by one without replacement, then the probability that the two balls are of the same colour is
 - A. $\frac{14}{39}$
 - B. $\frac{19}{39}$
 - C. $\frac{89}{156}$
 - D. $\frac{89}{169}$
- 54. One letter is chosen randomly from each of the two words 'CUBE' and 'CONE'. Find the probability that the two letters chosen are different.
 - A. $\frac{1}{4}$
 - B. $\frac{3}{4}$
 - C. $\frac{1}{8}$
 - D. $\frac{7}{8}$

END OF PAPER

| 題號 | 答案 | 題號 | 答案 |
|--------------|--------|--------------|--------|
| Question No. | Key | Question No. | Key |
| 1. | A (45) | 31. | D (53) |
| 2. | D (62) | 32. | A (35) |
| 3. | A (88) | 33. | A (43) |
| 4. | A (52) | 34. | C (79) |
| 5. | D (48) | 35. | B (58) |
| 6. | B (83) | 36. | C (79) |
| 7. | B (82) | 37. | C (54) |
| 7. 8. | D (84) | 38. | D (47) |
| 9. | A (89) | 39. | B (50) |
| 10. | B (86) | 40. | A (19) |
| 11. | D (49) | 41. | A (45) |
| 12. | D (85) | 42. | C (42) |
| 13. | A (70) | 43. | B (60) |
| 14. | B (71) | 44. | C (56) |
| 15. | C (59) | 45. | C (42) |
| 16. | A (52) | 46. | D (45) |
| 17. | A (87) | 47. | B (74) |
| 18. | B (35) | 48. | A (48) |
| 19. | A (40) | 49. | A (48) |
| 20. | D (56) | 50. | C (44) |
| 21. | D (66) | 51. | C (52) |
| 22. | D (75) | 52. | C (59) |
| 23. | B (52) | 53. | B (69) |
| 24. | D (58) | 54. | D (52) |
| 25. | C (76) | | |
| 26. | B (85) | | |
| 27. | D (44) | | |
| 28. | B (76) | | |
| 29. | C (54) | | |
| 30. | C (36) | | |

註: 括號內數字爲答對百分率。 Note: Figures in brackets indicate the percentages of candidates choosing the correct answers.