# 2010-CE MATH PAPER 1

HONG KONG EXAMINATIONS AND ASSESSMENT AUTHORITY
HONG KONG CERTIFICATE OF EDUCATION EXAMINATION 2010

## **MATHEMATICS PAPER 1**

#### **Question-Answer Book**

8.30 am - 10.30 am (2 hours)
This paper must be answered in English

#### **INSTRUCTIONS**

- 1. After the announcement of the start of the examination, you should first write your Candidate Number in the space provided on Page 1 and stick barcode labels in the spaces provided on Pages 1, 3, 5, 7, 9 and 11.
- 2. This paper consists of THREE sections, A(1), A(2) and B. Each section carries 33 marks.
- 3. Attempt ALL questions in Sections A(1) and A(2), and any THREE questions in Section B. Write your answers in the spaces provided in this Question-Answer Book. Do not write in the margins. Answers written in the margins will not be marked.
- 4. Graph paper and supplementary answer sheets will be supplied on request. Write your Candidate Number, mark the question number box and stick a barcode label on each sheet, and fasten them with string INSIDE this book.
- 5. Unless otherwise specified, all working must be clearly shown.
- 6. Unless otherwise specified, numerical answers should be either exact or correct to 3 significant figures.
- 7. The diagrams in this paper are not necessarily drawn to scale.
- 8. No extra time will be given to candidates for sticking the barcode labels or filling in the question number boxes after the 'Time is up' announcement.

Please stick the	ba	rco	de l	abe	l her	e.
Candidate Number		T				

### FORMULAS FOR REFERENCE

SPHERE	Surface area	=	$4\pi r^2$
	Volume	=	$\frac{4}{3}\pi r^3$
CYLINDER	Area of curved surface	=	$2\pi rh$
	Volume	=	$\pi r^2 h$
CONE	Area of curved surface	=	$\pi r l$
	Volume	=	$\frac{1}{3}\pi r^2 h$
PRISM	Volume	=	base area × height
PYRAMID	Volume	=	$\frac{1}{3}$ × base area × height

Answers written on this page will not be marked.

Please stick the barcode label here
-------------------------------------

	$(13)^{5}$	
•	Simplify $a^{14} \left(\frac{b^3}{a^2}\right)^5$ and express your answer with positive indices.	(3 marl
	20. 22	
	<ul> <li>(a) Solve the inequality <sup>29x-22</sup>/<sub>7</sub> ≤ 3x.</li> <li>(b) Write down the greatest integer satisfying the inequality in (a).</li> </ul>	
	(c) White do wit the greatest integer success, mg the integration in (u).	(3 mark

Factor (a)	$m^2 + 12 mn + 36 n^2$ ,
	$m^2 + 12mn + 36n^2 - 25k^2$ .
(b)	$m^{-} + 12mn + 36n^{-} - 25k^{-}$ (3 mark
******	
For e	ach positive integer $n$ , the $n$ th term of a sequence is $\tan \frac{180^{\circ}}{n+2}$ .
For e (a) (b)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these two
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.  (3 mark
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.  (3 mark
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.  (3 mark
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.  (3 mark
(a)	Find the 2nd term of the sequence.  Write down, in surd form, two different terms of the sequence such that the product of these to terms is equal to the 2nd term of the sequence.  (3 mark

Please stick the barcode label here.

Con	nsider the formula $3(2c+5d+4) = 39d$ .	
(a)	Make $c$ the subject of the above formula.	
(b)	If the value of $d$ is decreased by 1, how will the value of $c$ be changed? (4 mag)	ırks
·Park		
The of 3		cost
The of 3	cost of a bottle of orange juice is the same as the cost of 2 bottles of milk. The total of bottles of orange juice and 5 bottles of milk is \$66. Find the cost of a bottle of milk.	cost
The of 3	cost of a bottle of orange juice is the same as the cost of 2 bottles of milk. The total of bottles of orange juice and 5 bottles of milk is \$66. Find the cost of a bottle of milk.  (4 mar	cost
The of 3	cost of a bottle of orange juice is the same as the cost of 2 bottles of milk. The total of bottles of orange juice and 5 bottles of milk is \$66. Find the cost of a bottle of milk.  (4 mar	cost
The of 3	cost of a bottle of orange juice is the same as the cost of 2 bottles of milk. The total of bottles of orange juice and 5 bottles of milk is \$66. Find the cost of a bottle of milk.  (4 mar	cost
The of 3	cost of a bottle of orange juice is the same as the cost of 2 bottles of milk. The total of bottles of orange juice and 5 bottles of milk is \$66. Find the cost of a bottle of milk.  (4 mar	cost
The of 3	cost of a bottle of orange juice is the same as the cost of 2 bottles of milk. The total of bottles of orange juice and 5 bottles of milk is \$66. Find the cost of a bottle of milk.  (4 mar	cost
The of 3	cost of a bottle of orange juice is the same as the cost of 2 bottles of milk. The total of bottles of orange juice and 5 bottles of milk is \$66. Find the cost of a bottle of milk.  (4 mar	cost
The of 3	cost of a bottle of orange juice is the same as the cost of 2 bottles of milk. The total of bottles of orange juice and 5 bottles of milk is \$66. Find the cost of a bottle of milk.  (4 mar	cost
The of 3	cost of a bottle of orange juice is the same as the cost of 2 bottles of milk. The total of bottles of orange juice and 5 bottles of milk is \$66. Find the cost of a bottle of milk.  (4 mar	cost

Please stick the barcode label here.

(a)	By rounding down the amount owned by each student to the nearest dollar, estimate the to amount they have.
(b)	If the three students want to buy a football of price \$ 70, will they have enough money to be the football? Use the result of (a) to explain your answer.  (4 mark
Påde årdeliginger år, referenserer	
75 STRANS RAW LOCAL	
<del></del>	
P1	
de M Malda Mar Mandagaya I	
<del></del>	




Figure 1

(a) Find  $\angle ABC$ .

Answers written in the margins will not be marked.

(b) Prove that  $\triangle ABC \cong \triangle DCB$ .

(5 marks)

Answers written in the margins will not be marked.

	and the second s	
***************************************		
•		
· ·		
	 	r ra

Answers written in the margins will not be marked.

Page total

Please stick the barcode label here.

0.	The	cost of a tablecloth of perimeter $x$ metres is $C$ . It is given that $C$ is the sum	of two narts on
	part	varies as x and the other part varies as $x^2$ . When $x = 4$ , $C = 96$ and when	x=5, $C=145$
	(a)	Express $C$ in terms of $x$ .	(4 marks
	(b)	If the cost of a tablecloth is \$288, find its perimeter.	(3 marks
	-		
	***************************************		
	-		
	·		
	manus de la companya		
	and the state of the state in the state of t		

2010-CE-MATH 1-9

Page total

		2 3	0	1 0	1 1	1	3	3	5	6	6	7	7	8	8	8	8		
(a)	Find t		•		•		the r	ange	of th	ne ago	es of	the p	olaye	rs of	the f	ootb	all t	eam.	(3 mar
(b)	player		the f	ootba	ill tea	am,	the 1	nana	ger o	f the	tean								r the th players
	(i)	Find	the m	nean a	ige o	f the	thre	ee ne	w pla	yers.	•								
	(ii)		ootba	ill tea	ım a	re tl	ne sa	ame :	as th	e me	dian	and	the	rang	e for				players spective (5 mar
					·		<b></b>											<del></del>	
									·····			-(-1							
			els burns -880el 1 <b>78</b> 0es -		***************************************			ndumnuhmnithi	h) 1111-1111-1111	·····	,,,		anvanuamba		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ν.μ.υ			
								D 3 <b>000</b> , 1800 - 1100				oven erteretri ktyts					amamiha	armeditaridik elekti	<b>шинами</b> нунумары;
														1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-					
	naimmai m		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,																
***************************************																		• • • • • • • • • • • • • • • • • • •	
											<u> </u>								•
***************************************									/A.W.		.,								
		IMALIANNE MEMBER		•••••				***************************************		44)>4)>4						<u> </u>			
					,,,,,,,,,,,,								handaran (, h.). ****	ondered to store					
														ada Bara a Mari baran bi ada	—1141P141 <del>1817</del>				
							······································	,-,-,				<b>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</b> ,,,,,,,,		erlennowner id	m*h#HMINIM	***************************************	·········	······································	
	······································														***************************************				
IN/AMERICAN PROPERTY.	······································	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	······		······································			······································							<del>,, </del>				
<b></b>	ey yeyey jirin yeyl and black to be belleven											······································							
	,																		

Please stick the barcode label here.




Figure 2

- (a) Find the equation of the straight line passing through A and B. (2 marks)
- (b) Find the coordinates of C. (3 marks)
- (c) Find the area of  $\triangle ABC$ . (2 marks)
- (d) A straight line passing through A cuts the line segment BC at D such that the area of  $\triangle ABD$  is 90 square units. Let BD:DC=r:1. Find the value of r. (2 marks)

Answers written in the margins will not be marked.

2010-CE-MATH 1-12

13. In Figure 3(a), ABCDEF is a wooden block in the form of a right prism. It is given that AB = AC = 17 cm, BC = 16 cm and CD = 20 cm.




Figure 3(a)

(a) Find the area of  $\triangle ABC$ .


(2 marks)

(b) Find the volume of the wooden block ABCDEF.

(2 marks)

Answers written in the margins will not be marked.

(c) The plane PQRS which is parallel to the face BCDF cuts the wooden block ABCDEF into two blocks APQRES and BCQPSFDR as shown in Figure 3(b). It is given that PQ = 4 cm.



- Figure 3(b)
- (i) Find the volume of the wooden block APQRES.
- (ii) Are the wooden blocks APQRES and ABCDEF similar? Explain your answer.

(5 marks)

SECTION D (33 marks	CTION B (33 n	narks
---------------------	---------------	-------

Answer any THREE questions in this section and write your answers in the spaces provided. Each question carries 11 marks.

14. An athlete, Alice, of a school gets the following results (in seconds) in 10 practices of 1500 m race:

- (a) Two results are randomly selected from the above results.
  - (i) Find the probability that both the best two results are not selected.
  - (ii) Find the probability that only one of the best two results is selected.
  - (iii) Find the probability that at most one of the best two results is selected.

(6 marks)

(b) Another athlete, Betty, of the school gets the following results (in seconds) in 10 practices of 1500 m race:

Alice and Betty will represent the school to participate in the 1500 m race in the inter-school athletic meet.

- (i) Which athlete is likely to get a better result? Explain your answer.
- (ii) The best record of the 1 500 m race in the past inter-school athletic meets is 267 seconds. Which athlete has a greater chance of breaking the record? Explain your answer.

(5 marks)

Answers written in the margins will not be marked.

	tollow (all the control of the contr		
The state of the s			
	h.,		
	//////////////////////////////////////	NINI 1-1-1.1	.,,,,
			reason and the total of the second second second

15. (a) Figure 4(a) shows a piece of paper card ABCD in the form of a quadrilateral with AB = AD and BC = CD. It is given that BC = 24 cm,  $\angle BAD = 146^{\circ}$  and  $\angle ABC = 59^{\circ}$ . Find the length of AB.




Figure 4(a)

(2 marks)

Answers written in the margins will not be marked.

(b) The paper card described in (a) is folded along AC such that AB and AD lie on the horizontal ground as shown in Figure 4(b). It is given that  $\angle BAD = 92^{\circ}$ .




Figure 4(b)

- (i) Find the distance between B and D on the horizontal ground.
- (ii) Find the angle between the plane ABC and the plane ACD.
- (iii) Let P be a movable point on the slant edge AC. Describe how  $\angle BPD$  varies as P moves from A to C. Explain your answer.

(9 marks)

		Profit converted the space of t		
errerenterijak, ijäljäljäljälää jäläää jäläääääääääääää			Marie Control of the	
		and the second s		
		•		
			And the second s	
**************************************				
- Address of the second				
			- Living to the second	
	Nasaranannummenemenemeteritiittyi 1,4 -12 - 12 - 12 - 12 - 12 - 12 - 12 - 12		W	
The second section of the Mandagasta Particles and the second of the sec		<u> </u>		

(iii) If the graph of y = h(x) is obtained by translating the graph of  $y = 2^{f(x)}$  leftwards by 4 units and upwards by 5 units, find h(x).

(7 marks)

(b) A researcher performs an experiment to study the relationship between the number of bacteria A (u hundred million) and the temperature (s °C) under some controlled conditions. From the data of u and s recorded in Table 1(a), the researcher suggests using the formula  $u = 2^{f(s)}$  to describe the relationship.

s		$a_{\mathrm{l}}$	$a_2$	$a_3$	$a_4$	a <sub>5</sub>	$a_6$	$a_7$
u	!	$b_1$	<i>b</i> <sub>2</sub>	$b_3$	$b_4$	$b_5$	$b_6$	<i>b</i> <sub>7</sub>

Table 1(a)

(i) According to the formula suggested by the researcher, find the temperature at which the number of the bacteria is 8 hundred million.

(ii) The researcher then performs another experiment to study the relationship between the number of bacteria B (v hundred million) and the temperature (t °C) under the same controlled conditions and the data of v and t are recorded in Table 1(b).

t	$a_1-4$	$a_2 - 4$	$a_3 - 4$	$a_4 - 4$	$a_5 - 4$	$a_6 - 4$	$a_7 - 4$
ν	$b_1 + 5$	$b_2 + 5$	$b_3 + 5$	$b_4 + 5$	$b_5 + 5$	$b_6 + 5$	$b_7 + 5$


Table 1(b)

Using the formula suggested by the researcher, propose a formula to express  $\nu$  in terms of t.

(4 marks)

Page total

17. Figure 5(a) shows the circle passing through the four vertices of the square ABCD. A rectangular coordinate system is introduced in Figure 5(a) so that the coordinates of A and B are (0,0) and (8,6) respectively.



- (a) (i) Using a suitable transformation, or otherwise, write down the coordinates of D. Hence, or otherwise, find the coordinates of the centre of the circle ABCD.
  - (ii) Find the radius of the circle ABCD.

(5 marks)

Answers written in the margins will not be marked.

- (b) A student uses the circle ABCD of Figure 5(a) to design a logo for the class association. The process of designing the logo starts by constructing the inscribed circle of the square ABCD such that the inscribed circle touches AB, BC, CD and DA at  $A_1$ ,  $B_1$ ,  $C_1$  and  $D_1$  respectively. The region between the square ABCD and its inscribed circle is shaded as shown in Figure 5(b). The inscribed circle of the square  $A_1B_1C_1D_1$  is then constructed such that this inscribed circle touches  $A_1B_1$ ,  $B_1C_1$ ,  $C_1D_1$  and  $D_1A_1$  at  $A_2$ ,  $B_2$ ,  $C_2$  and  $D_2$  respectively. The region between the square  $A_1B_1C_1D_1$  and its inscribed circle is also shaded. The process is carried on until the region between the square  $A_9B_9C_9D_9$  and its inscribed circle is shaded.
  - (i) Find the ratio of the area of the circle  $A_1B_1C_1D_1$  to the area of the circle ABCD.
  - Suppose that the ratio of the total area of all the shaded regions to the area of the circle ABCD is p:1. The student thinks that the design of the logo is good when p lies between 0.2 and 0.3. According to the student, is the design of the logo good? Explain your answer.

    (6 marks)